

U.S. PATENT AND TRADEMARK OFFICE  
AUG 16 2006




FIG. 1






FIG. 2

```
w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((0, 0, 0, 0), (w, h),
{"imageName":imageName, "fit":true})
```

341



310

Controller  
(Client Computer)

- Sized to fit one cell
- Size and position control is done by the client



Projection Screens (Display Devices)

**FIG. 3A**

```

w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((0, 2, 0, 2), (w, h),
{" imageName":imageName , "fit":true})

```




- Sized to fit one cell
- Size and position control is done by the client

**FIG. 3B**


```

w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((2, 0, 2, 0), (w, h),
{"imageName":imageName, "fit":true})

```



Controller  
(Client Computer)




- Sized to fit one cell
- Size and position control is done by the client

**FIG. 3C**


# Size Control —

```
w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((2, 2, 2, 2), (w, h),
{"imageName":imageName , "fit":true})
```

BEST AVAILABLE COPY



6/11




- Sized to fit one cell
- Size and position control is done by the client

**FIG. 3D**


```

w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((0, 0, 2, 2), (w, h),
{" imageName":imageName , "fit":false})

```



Controller  
(Client Computer)



Screen

- Sized to fit all cells (I.e., x: 3x, y: 3x)

**FIG. 4**




FIG. 5





- FIG. 6**


10/11



**FIG. 7**

BEST AVAILABLE COPY

11/11



BEST AVAILABLE COPY